



Management of Functional Neurological Disorders

October 12, 2025

Jung E Park, MD, PhD

Associate Professor

Department of Neurology

Dongguk University Ilsan Hospital

Full disclosures

- I have received research funding from the Korean National Research Foundation.
- I have also received research funding from the Dystonia Medical Research Foundation (DMRF), the Korean Neurological Association, the Korean Society of Clinical Neurophysiology and the Korean Movement Disorders Society.
- I have [no relevant disclosures or potential conflicts of interest](#) to report.

Learning objectives



Review basic principles for delivering the diagnosis of FND



Review treatment options for functional neurological disorders (FND)

Key message

- Patients with functional neurological disorder are heterogeneous (symptoms, comorbidities, etc.)
- Most ideal treatment: multidisciplinary team
- Treatment of underlying psychiatric comorbidities, if present
- Most studies report some benefits of rehabilitation which are maintained at long-term follow-up

References

1. Aybek S, Perez DL. *BMJ*. 2022 Jan 24;376:o64
2. Czarnecki K, et al. *Parkinsonism Relat Disord*. 2012 Mar;18(3):247-51
3. Carson A, et al. *Practical Neurology* 2016;16:56-61
4. Dreissen YEM, et al. *J Neurol Neurosurg Psychiatry*. 2019 Nov;90(11):1244-1250
5. Edwards M. *Handb Clin Neurol* . 2018;159:417-423
6. Espay AJ, et al. *Parkinsonism Relat Disord*. 2014 Jun;20(6):647-50
7. Gelauff J, et al. *J Neurol Neurosurg Psychiatry*. 2014 Feb;85(2):220-6
8. Nielsen G, et al. *J Neurol Neurosurg Psychiatry*. 2015 Oct;86(10):1113-9

References (continued)

9. Nielsen G, et al. J Neurol Neurosurg Psychiatry. 2017 Jun;88(6):484-490
10. Nielsen G, et al. Lancet Neurol. 2024 Jul;23(7):675-686
11. Lidstone SC, et al. Mov Disord Clin Pract. 2020 Jan 11;7(2):169-174
12. Ricciardi L, Edwards MJ. Neurotherapeutics. 2014 Jan;11(1):201-7
13. Schneider T, et al. J Clin Neurol. 2024 Sep;20(5):493-500
14. Schwingenschuh P, et al. Mov Disord. 2011 Dec;26(14):2509-15
15. Sharma VD, et al. J Mov Disord. 2017 Jan;10(1):40-44