

# WORLD NEUROLOGY

THE OFFICIAL NEWSLETTER OF THE WORLD FEDERATION OF NEUROLOGY

## 14th International Congress on Neuromuscular Diseases to Feature the World's Leading Experts

BY VERA BRIL, MD

The 14th International Congress on Neuromuscular Diseases (ICNMD 2016), under the

auspices of the World Federation of Neurology, will be held in Toronto, Canada from July 5–9, 2016 at the Sheraton




Vera Bril, MD

Centre Toronto Hotel. The ICNMD is the formal meeting of the Research Group on Neuromuscular Diseases, formally affiliated with the World Federation of Neurology. It has been 14 years since the ICNMD Congress was held in Canada, with Vancouver, British Columbia, hosting the 2002 Congress.

Building on the success of preceding Congresses, in Vancouver, Istanbul, and Naples, it was decided at the previous meeting in Nice, France (ICNMD 2014) that the Congress be moved to a two-year cycle instead of meeting every four years.

While much encouragement and progress is going on in the field of neuromuscular diseases, especially with the recent support of the

see NEUROMUSCULAR DISEASES, page 12



## WORLD BRAIN DAY 2016

# Brain Health in an Aging Population: “The Aging Brain”

BY MOHAMMAD WASAY, MD, FRCP, FAAN, AND WOLFGANG GRISOLD, MD

### An Aging Population

The global share of older people (age 60 and over) is more than 800 million (12 percent of the population) and is growing, with the expectation that it will reach more than two billion (21 percent of the population) by 2050. Currently 70 percent of the world's older population lives in developed and developing countries, but by 2025, 80 percent of the older population will be living in less developed countries. Older persons are projected to exceed the number of children in 2047. It has already started in developed countries. In 2015, Japan became the first country in the world where more adult diapers than baby diapers were sold.

Population aging has major social, health, and economic consequences. The prevalence of non-communicable diseases and disability increases with age. Poverty is high among older persons. There is increased pressure on social support systems for older persons. The growing burden of diseases and disability, and

reducing financial and social support in an aging population will be among the huge challenges for societies and governments with respect to their social and health care systems in coming years.

### Brain Diseases in the Aging Population

The prevalence of a number of neurological diseases increases with age, including stroke, dementia, and Parkinson's disease. It is estimated that 10 to 20 percent of people aged 60 to 80 years suffer from one or more of these diseases. More than 30 percent of persons who are 80 years or older suffer from at least one neurological disease.

Disability due to neurological diseases and other musculoskeletal diseases is very high and growing. It is estimated that more than 20 percent of people over 60 years old need support for activities of daily living.

The economic burden of this is huge. It is estimated that almost half of the health care expenditure is related to the care of older persons in developed countries today, and it is projected to become

## INSIDE

### FEATURES

#### THE GERMAN NEUROLOGICAL SOCIETY DEPARTMENT VISIT PROGRAM

WFN and the German Neurological Society (DGN) partner to invite two colleagues from Africa to the neurology department of the St. Josef-Hospital in Bochum, Germany.

PAGE 2

#### WHEN NEUROLOGY IS UNDER THE SPOTLIGHT

Zika virus infection prompts the WFN to establish the Zika Virus Working Group.

PAGE 3

#### TRAINING IN NEUROLOGY — A FUTURE REGULAR COLUMN IN WORLD NEUROLOGY

World Neurology is calling for your submissions on neurological education.

PAGE 4

#### OVERCOMING UNTREATED EPILEPSY IN THE DEVELOPING WORLD: THE WAY FORWARD

Epilepsy treatment gap of up to 90 percent still exists in many rural Indian communities.

PAGE 8

#### JOHN SUTHERLAND AND MULTIPLE SCLEROSIS IN SCOTLAND AND AUSTRALIA

Historical review looks at the neurologist pioneer who recognized that multiple sclerosis prevalence increased with greater distance from the equator in the southern as well as in the northern hemisphere.

PAGE 10

two-thirds by 2030. The same trends are expected in developing and less developed countries by 2050.

The medical community, however, must be cautious on the wording when "burden" with regards to costs of the aging populations is mentioned. We need to be aware that the word "burden" has a potentially negative connotation, which rather should be replaced with a more positive wording— which we feel is better stated as a responsibility.

### World Brain Day Theme: “Brain Health in an Aging Population”

It is clear that brain health is going to be the most important determinant of

see WORLD BRAIN DAY, page 12



**WORLD FEDERATION OF NEUROLOGY**

**Editors-in-Chief**  
Steven L. Lewis (Editor)  
Walter Struhal (Co-editor)

**WFN London Office**  
Chester House  
Fulham Green  
81-83 Fulham High Street  
London SW6 3JA

United Kingdom  
Tel.: +44 (0)20 3542 1657/1658  
Fax: +44 (0)20 3 542 1301  
info@wfneurology.org

**WFN OFFICERS**

**President** Raad Shakir (United Kingdom)  
**First Vice President** William Carroll (Australia)  
**Secretary General** Wolfgang Grisold (Austria)  
**Treasurer** Richard Stark (Australia)

**ELECTED TRUSTEES**

Gallo Diop (Senegal)  
Riadh Gouider (Tunisia)  
Morris Freedman (Canada)

**CO-OPTED TRUSTEES**

Steven Lewis (USA)

**REGIONAL DIRECTORS**

Saeed Bohlega (Pan-Arab)  
Günther Deuschl (Europe)  
Terrence L. Cascino (North America)  
Marco Tulio Medina (Latin America)  
Man Mohan Mehndiratta (Asian-Oceania)  
Mansour Ndiaye (Pan-Africa)

**EDITOR OF THE JOURNAL OF THE NEUROLOGICAL SCIENCES**

John England (USA)



**WORLD NEUROLOGY**, an official publication of the World Federation of Neurology, provides reports from the leadership of the WFN, its member societies, neurologists around the globe and news from the cutting-edge of clinical neurology. Content for *World Neurology* is provided by the World Federation of Neurology and Ascend Integrated Media.

**Disclaimer:** The ideas and opinions expressed in *World Neurology* do not necessarily reflect those of the World Federation of Neurology or the publisher. The World Federation of Neurology and Ascend Integrated Media will not assume responsibility for damages, loss or claims of any kind arising from or related to the information contained in this publication, including any claims related to the products, drugs or services mentioned herein.

**Editorial Correspondence:** Send editorial correspondence to *World Neurology*, Dr. Lewis at [steven\\_lewis@rush.edu](mailto:steven_lewis@rush.edu) or Dr. Struhal at [walter.struhal@akh.linz.at](mailto:walter.struhal@akh.linz.at).

*World Neurology*, ISSN: 0899-9465, is published bimonthly by Ascend Integrated Media  
6710 W. 121st St., Suite 100  
Overland Park, KS, 66209  
Phone +1-913-344-1300  
Fax: +1-913-344-1497

©2016 World Federation of Neurology



**PUBLISHING PARTNER**

Ascend Integrated Media

**President and CEO**  
Barbara Kay

**Vice President of Content**  
Rhonda Wickham

**Vice President of eMedia**  
Scott Harold

**Vice President of Sales**  
Donna Sanford

**Project Manager**  
Amanda Nevala

**Art Directors**  
Lorel Brown  
Danielle Hendrickson

**Editorial Offices**  
6710 West 121st St., Suite 100  
Overland Park, KS 66209  
+1-913-469-1110

**FROM THE EDITORS**

BY STEVEN L. LEWIS, MD, EDITOR, AND  
WALTER STRUHAL, MD, CO-EDITOR

We are pleased to introduce this issue of *World Neurology*, which includes topics of interest to all readers. In this issue, Raad Shakir, MD, the president of the WFN, reports on the work being done to address the Zika virus epidemic, including efforts via the World Health Organization (WHO) and the WFN. Mamta Bhushan Singh, MD, and Michael F Finkel, MD, discuss the challenges and issues involved in tackling the problem of epilepsy in the developing world. Mohammad Wasay, MD, and Professor Wolfgang Grisold, MD, the secretary-general of the WFN, review the background and planning for this year's day of the brain, World Brain Day 2016: Brain Health in an Aging Population. J. Eduardo San Esteban, MD, discusses the past, present, and hopes for the future of Pan American neurology and collaboration to address neurological diseases throughout the Americas. Also in this issue, Morris Freedman, MD, trustee of the WFN,



STEVEN L. LEWIS



WALTER STRUHAL

with colleagues from the WFN and the Canadian Neurological Society, announce a new joint initiative between our two organizations for neurology trainees or junior faculty from Central or South America to visit the Montreal Neurological Institute for a four-week department visit. Similarly, in this issue, the WFN and the German Neurological Society announce a new department visit program for two African colleagues to visit the department of neurology in the St. Josef-Hospital in Bochum (University Clinic of the Ruhr University) and the department of neurology at the Hospital of Ulm University for

four weeks. As an example of the outcome from such a visit, Kalpesh Deraji Jivan, MD, from South Africa writes an enthusiastic report from his four-week visit to the neurology intensive care unit at Innsbruck Medical University in Austria, sponsored by the WFN and the Austrian Neurological Society. Vera Bril, MD, discusses the plans for the upcoming 14th International Congress on Neuromuscular Diseases being held in collaboration with the WFN in July 2016 in Toronto. Finally, in our regular columns, John D. England, MD, editor-in-chief of the *Journal of the Neurological Sciences*, provides his editor's update and selected free-access articles from the two most recent issues of the journal; John F. Brandsema, MD, reviews a recent book on Duchenne muscular dystrophy; and M. J. Eadie, MD, provides a biography of a pioneer in the epidemiology of multiple sclerosis.

We hope you enjoy reading this issue of *World Neurology*. Within this issue, Dr. Grisold and the editors also announce a call for articles on neurologic education for future issues. We look forward to these and other submissions of interest to the readers of *World Neurology*. •

**WFN – THE GERMAN NEUROLOGICAL SOCIETY**

**Department Visit Program**

RALF GOLD, MD, WOLFGANG GRISOLD, MD,  
ALBERT LUDOLPH, MD, AND  
THOMAS THIEKÖTTER, MD

The World Federation of Neurology (WFN) and the German Neurological Society (DGN) are pleased to announce a new partnership to invite two colleagues from Africa to visit the neurology department of the St. Josef-Hospital in Bochum, Germany, part of the University Hospital of the Ruhr University Bochum and the department of neurology at the Hospital of Ulm University.

Wilhelm Erb initially founded the German Neurological Society (DGN) as the "Gesellschaft Deutscher Nervenärzte" in 1907. In 1935, the society was dissolved by the Nazi government. The re-establishment of the society took place in 1950 by Heinrich Pette. The DGN is part of the Association of the Scientific Medical Societies in Germany (AWMF). The current chairman is Professor Ralf Gold from Bochum. In recent years the DGN has become a fast-growing society, which represents more than 8,000 members.

The WFN was formed in Brussels in 1957 as an association of national neurological societies. Today, the WFN represents 119 professional societies in 116 countries in all regions of the world. WFN's mission is to foster quality



Ralf Gold, MD



Albert Ludolph, MD



Thomas Thiekötter, MD

neurology and brain health worldwide, a goal it seeks to achieve by promoting global neurological education and training, with the emphasis placed firmly on under-resourced parts of the world.

**About the Project**

The German Neurological Society supports the WFN's African initiative by inviting two African colleagues to visit the department of neurology in the St. Josef-Hospital in Bochum (University Clinic of the Ruhr University) and the department of neurology at the Hospital of Ulm University for four weeks. The purpose of the visit is to experience the German neurological system in an international environment, meet new colleagues, and foster future cooperation.

**About the Host Institutions**


St. Josef-Hospital, Ruhr University Bochum: The department of neurology at St. Josef-Hospital is part of the University Hospital of the Ruhr University Bochum. The chair of the department is Professor Ralf Gold, who is also the current president of the German Neurological Society. The department comprises a total of 106 beds, including an intensive care unit, an intermediate care unit, and a certified supra-regional stroke unit. Neuroimmunological diseases represent the main clinical and scientific focus. The department of neurology has its own CSF-lab and its own plasma exchange unit. Neurosonology of the central as well as of the peripheral nerve system,

see **NEUROLOGICAL SOCIETY**, page 9

## PRESIDENT'S COLUMN

# When Neurology is Under the Spotlight

Over the last three months, the world has been facing a most serious and devastating epidemic. The World Health Organization (WHO) declared Zika virus infection as a Public Health Emergency of International Concern (PHEIC). This has triggered a massive international response not only in the Americas, but also across the world. Cases of Zika virus infection are being reported in the thousands across the northern parts of South and Central America. To date, the WHO reports the infection to be present in 62 countries between 2007 and 2016. The transmission is not only reported in Latin America, but in Cape Verde, and recently Vietnam reported mosquito-borne Zika virus infection.



RAAD  
SHAKIR

The issue is compounded by the fact that the symptoms of the Zika virus infection are mild, and none disabling. However, the neurological complications are most serious. Zika virus infection is described as the most devastating viral infection during pregnancy. The reported microcephaly is most serious, and we have no idea what the future holds for those babies born to mothers without obvious microcephaly. One can reasonably conclude that the reported Zika virus isolated from post mortem cases of invasion of brain and spinal cord suggests that we may be facing a future group of affected children with many neurological complications of as yet unknown nature.

The second neurological condition which has increased in those affected with Zika virus infection is Guillain-Barre syndrome. This, in a way, is expected following a viral infection. The seriousness of the condition is made much worse by the lack of local availability of supportive treatment. Generally, at least a fifth of GBS patients may require respiratory support, which is compounded with lack of availability of IV immunoglobulin. The cost of both modalities is prohibitive. In some parts of Latin America, the use of plasma exchange is the way GBS is treated rather than IV immunoglobulin. Even with this, many locations in affected areas do not have the facilities or the training to use plasma exchange machines. This puts lives at risk.

One has to remember that the diagnosis and management of GBS requires neurological expertise, which is scarce

to say the least. It would be reasonable to state that the 1 in 20 mortality rate reported in the developed world will be much higher for those affected by GBS in the current Zika virus affected areas.

All this prompted the WFN to mount a concerted effort to tackle the problem. The WFN Zika Virus Working Group was formed, and the committee is chaired by John England, MD, New Orleans. The membership includes experts in child neurology and GBS, with neurologists from the most affected countries in South and Central America. See more at [www.wfnneurology.org/committees?tab=16016](http://www.wfnneurology.org/committees?tab=16016)

The WFN is also an active contributor to the WHO committee on Zika. This committee met in Geneva, and according to Dr. England's executive summary, "Collaborative interdisciplinary research on Zika infection and its neurological complications is already being organized, but funding is severely lacking at this time. As an important first step to enhance research collaboration and provide for transparent data sharing, the Neurovirus Emerging in the Americas Study (NEAS), [www.neasstudy.org/en/home/](http://www.neasstudy.org/en/home/), is being organized and is supported by an approved Johns Hopkins Medical Institutions IRB protocol. Researchers are encouraged to visit the NEAS website for additional information. The situation is rapidly evolving; therefore, all information is subject to modification as we learn more about this emerging crisis."


The WHO situation report on April 7, 2016 concludes "The global prevention and control strategy launched by the World Health Organization (WHO) as a Strategic Response Framework encompasses surveillance, response activities, and research. This situation report is organized under those headings."

The WFN Zika virus committee met on Monday, April 18th in Vancouver during the 68th AAN meeting to further discuss the issues. The following questions were put to the experts for a response.

1. Do we have a diagnostic ELISA test or the like, for quick diagnosis?
2. Can individuals have the neurological complications without exhibiting the febrile illness, and if so how can we be sure of diagnosis?
3. Do we know the spectrum of all the fetal neurological deficits?
4. How long is the period of viral human-to-human infectivity after the Zika virus infection illness?
5. Do we have a registry of morbidity and mortality related to GBS resulting from Zika virus infection?
6. It is important to understand whether the variant of GBS associated with

see PRESIDENT'S COLUMN, page 12

## BY WHO REGION



Legend Fig 1 Neurology Atlas 2015



Figure 2- left to right, Dr. Ildefonso Rodriguez Leyva, Dr. Karina Velez Jimenez, Professor Raad Shakir, Dr. Minerva Lopez, Dr. Steven L. Lewis, during the WFN visit to neurology training programs in Mexico City.



Meeting of the WFN with some of the members of the Zika Working Group at the American Academy of Neurology Annual Meeting in Vancouver on April 18, 2016. From left to right: Raad Shakir, MD; David Bearden MD; Ildefonso Rodriguez-Leyva, MD; Miguel Osorno Guerra, MD; Minerva Lopez Ruiz, MD; Karina Velez Jimenez, MD; Allen Aksamit, MD; and Russell Bart, MD; Also participating in the meeting, but not in the photo, were William Carroll, MD, Wolfgang Grisold, MD, Steven Lewis, MD, and Marco T. Medina, MD.

# Training in Neurology – a Future Regular Column in *World Neurology*

BY WOLFGANG GRISOLD, MD, WALTER STRUHAL, MD, AND STEVEN L. LEWIS, MD

**W**orld Neurology is planning a column in each issue devoted to neurological education. This new feature will help promote educational concepts and also will serve as a platform for new educational ideas and structures.

Neurologic education and education research are of crucial interest to promote high quality neurologic care throughout the world, and is one of the critical roles of the World Federation of Neurology (WFN).

For example, within the current issue and the previous issue, *World Neurology* has covered “training stories”—individual experiences reflecting an exchange program or a national curriculum. These and similar articles are important contributions for our global readers.

In future issues, we plan to implement a regular column on neurologic education and educational concepts and ideas. We encourage submissions on educational topics, including but not limited to the following:

- Post-graduate neurologic education



**World Neurology is encouraging submissions on a variety of topics related to neurologic education, including, but not limited, to education of neurologic trainees, continuing education, and education of the public. Clockwise top, from left to right. Figure 1 shows neurologists in training in Vienna, Austria, figure 2 shows neurologists attending a continuing neurologic education symposium in Almaty, Kazakhstan in August 2015, and figure 3 shows Patient Day at the World Congress of Neurology in Santiago Chile, October 31, 2015.**

- Continuing medical education
- Quality assurance on a national or international level
- Assessment techniques
- International harmonization of training projects
- Advocacy activities to promote neurologic education nationally or internationally
- Patient education
- Caregiver education
- Public education

*World Neurology* encourages the submission of short articles with a maximum of 750 words, a short summary, a maximum up to five key references, and up to one figure and one table.

*World Neurology* appears six times a year, is free, and reaches approximately 18,000 readers. Your contribution will have an impact worldwide.

Wolfgang Grisold, Walter Struhal, and Steven L. Lewis will edit this new initiative. We look forward to reviewing your submissions. Submissions should be sent to [traininginneurology@wfneurology.org](mailto:traininginneurology@wfneurology.org).

## BOOK REVIEW

# Duchenne Muscular Dystrophy, 4th Edition

Alan EH Emery, Francesco Muntoni, and Rosaline Quinlivan  
Oxford University Press  
271 Pages

BY JOHN F. BRANDSEMA, MD

In the preface of their 4th edition, the authors recall the necessity of a second edition being published only a year after their first in 1987, due to the isolation and cloning of the dystrophin gene and the identification of its protein product. The subsequent 25 years have seen an explosion of research in both basic science and clinical medicine regarding the biochemical underpinnings and the clinical management of Duchenne muscular dystrophy (DMD), a broad field that is expertly and concisely summarized in the current edition.



John F. Brandsema, MD

This trim (roughly 270 pages plus references) and well-written textbook by a highly respected group of neuromuscular clinicians in England is a pleasure to read. The flow is excellent, with


little of the repetitiveness or ambiguity of thought that can occur in multi-author endeavors. There is a fascinating exploration of the history of DMD, from the first depictions of what is believed to be muscular dystrophy in Ancient Egyptian hieroglyphics to acknowledgement by the authors of prominent contemporaries in the field today. Complex concepts and topics regarding the biochemistry and genetics of DMD are conveyed in a concise and clear manner, with supportive data largely drawn from the vast clinical experience of the authors themselves.

There were very few aspects of the book that disappointed me as a reader who specializes in care of pediatric neuromuscular disorders, and none were overly striking. While all figures are interpretable regarding what they are meant to illustrate, many of the pathology figures in particular would be much better appreciated in color rather than the black and white version in the text. A color section of the text or an online color supplement would greatly augment the reader's appreciation of the beautiful examples selected for presentation regarding the pathology of DMD. The recommendation to perform muscle biopsy in every patient for direct dystrophin studies, in addition to molecular genetics, is somewhat strongly worded for the current practice of most of today's neuromuscular clinics. However, the authors do temper this by emphasizing in other sections of the text

the particular populations where this can be especially useful, such as a young patient with an identified dystrophin gene mutation which has previously been reported as having variable phenotypic expressions. It is also easily appreciated that the multi-systemic management issues in older Duchenne patients are complex: in the text, topics such as spinal surgery and cardiopulmonary management are dealt with rather briefly, in contrast to the more extensive discussion of musculoskeletal management of the ambulant child with DMD, for example. These are all minor points, and none was jarring enough to detract from the book's many admirable qualities.

Overall, this book is impressive in its scope. The timeliness of any textbook suffers somewhat from the time delay related to its publication schedule, but the discussion of therapeutic trials in this text, addressing both genotypic and phenotypic modification of DMD, nicely introduces most of the concepts still actively being studied today. Another particular strength is the unblinkingly honest and insightful discussion of sensitive topics, such as disclosing a diagnosis of DMD, and psychological problems in boys with DMD and their families. These aspects of DMD management are essential to excellent care, but are less often addressed in scientific publications about DMD.

In summary, I strongly recommend



this book as a natural addition to the library of any clinician who specializes in treating neuromuscular disorders, and it would be of interest to anyone who may encounter patients with DMD in their practice, including physical/occupational therapists, nurses, genetic counselors, social workers, dietitians, neurologists, physiatrists, geneticists, cardiologists, pulmonologists, orthopedists, and more. As the field of research related to DMD continues to evolve at a rapid pace, hopefully another edition will soon update discoveries and advances.

John F. Brandsema, MD, is attending physician, neuromuscular/general neurology and electromyography, The Children's Hospital of Philadelphia, and assistant professor of neurology, Perelman School of Medicine at the University of Pennsylvania, Philadelphia.


## IN SEARCH OF LOST TIME:

## Can we Finally Have a Pan American Neurology?

J. EDUARDO SAN ESTEBAN, MD

From October 29th to November 3rd, 2016, Cancun, Mexico will host the 14th Pan American Congress of Neurology. This will be the second time for the Pan American Congress to be held in this Country.

Mexico hosted the 4th Pan American Congress in 1975. There have been more than 50 years of Pan American neurology meetings and maybe the time has come to question ourselves as to whether we have made some progress in this continent in building a real Pan American Neurology and more important, how prepared we are to develop an alliance to help each other in the pursuit of improved care of our patients with neurological illness.



J. Eduardo San Esteban, MD

The American continent, with a population of around one billion is marked by inequality in human development. We also have a diversity of geographic, economic, political, and cultural systems. And, of course, we also have different health systems to provide care to an ever more demanding population. The obvious differences between the countries north and south of the Rio Grande have provided the grounds for a multinational effort to increase our cooperation. There are social and economic treaties, cultural and professional agreements, some of them with better results than others, but all of them with the idea of finding an improved quality of life. The cooperation among the Latin American states has been also prolific. Despite some differences, our similarities have prevailed, and in multiple examples we can see the results of intelligent and generous collaborations.

Neurological disease has increased its burden over the world population. Naturally, the Pan American community is no exception. There are some particular situations in different areas— infectious and parasitic disease are still everyday events in some areas, malnutrition and metabolic in others, children with sequelae of difficult pregnancies and deliveries are prevalent in some communities, but the frequent pathologies of the nervous system are similar in all of our countries. Cerebrovascular disease, epilepsy, neurodegenerative disease, developmental difficulties, headaches, and behavioral syndromes have a very similar prevalence. Increases in communication and migration have also contributed to provide a more universal panorama of illness. And, of course the appearance of new threats like Zika virus has swiftly become a multinational preoccupation.

The neurological community has an ideal opportunity to play a significant part in this continental effort. The southern countries have a common language, a very similar cultural background, and a rather equal social, ethnic, and developmental history. We also have a significant increase in technology and communications that have made distances shorter and real-time interaction an everyday occurrence. The northern countries have developed scientific and technological strength that keep them in the frontier of new knowledge. The advance of educational technological facilities have made teleconferences, telemedicine, online courses, and consultations an everyday event.

The question is: Can we, the neurologists of the American continent, build a professional, scientific, social, and educational alliance to help with the possibilities of improving the care of neurological patients around the continent? What should we do and what can we do to achieve a situation of true and universal cooperation? A north, south, east, and west alliance can be a reality in the fields of education, epidemiology, interchange of information, online consultations, collaborative studies, and so on. No doubt, the area of neurological education seems the immediate possible goal. There are already multiple programs ongoing. The traditional journey of Latin American professionals to the United States and Canada for an update in the state-of-the-art of neurology, and programs for the neurological subspecialties are a common-day reality. But the extent of these educational efforts hardly meets the needs of a large population of specialists who do not have the opportunities to travel. Well-planned alliances between countries could help to reduce these gaps. Online education is a useful tool. Teleconferences and meetings, and the distribution of information in accordance with a well-planned program that avoids commercialization of information, are all possible ways of collaboration.

Neurological disease has increased its burden over the world population. Naturally, the Pan American community is no exception. There are some particular situations in different areas— infectious and parasitic disease are still everyday events in some areas, malnutrition and metabolic in others, children with sequelae of difficult pregnancies and deliveries are prevalent in some communities, but the frequent pathologies of the nervous system are similar in all of our countries. Cerebrovascular disease, epilepsy, neurodegenerative disease, developmental difficulties, headaches, and behavioral syndromes have a very similar prevalence. Increases in communication and migration have also contributed to provide a more universal panorama of illness. And, of course the appearance of new threats like Zika virus has swiftly become a multinational preoccupation.

The question is: Can we, the neurologists of the American continent, build a professional, scientific, social, and educational alliance to help with the possibilities of improving the care of neurological patients around the continent?

What should we do and what can we do to achieve a situation of true and universal cooperation? A north, south, east, and west alliance can be a reality in the fields of education, epidemiology, interchange of information, online consultations, collaborative studies, and so on.

No doubt, the area of neurological education seems the immediate possible goal. There are already multiple programs ongoing. The traditional journey of Latin American professionals to the United States and Canada for an update in the state-of-the-art of neurology, and programs for the neurological subspecialties are a common-day reality. But the extent of these educational efforts hardly meets the needs of a large population of specialists who do not have the opportunities to travel. Well-planned alliances between countries could help to reduce these gaps. Online education is a useful tool. Teleconferences and meetings, and the distribution of information in accordance with a well-planned program that avoids commercialization of information, are all possible ways of collaboration.



The production of human resources for neurological care is another area where alliances can prove beneficial. Based in carefully performed studies that provide information about needs, a combined program of online and onsite education can help to reduce the lack of the most needed professional and technical resources. Even at the level of pre-graduate students, a multinational effort could address the needs of medical schools for a more complete neurological education. Education of first-contact physicians, family and general practitioners, and even paramedical personnel that provide attention in remote areas can be tackled by such an alliance.

Time is short. Population growth is fast, and new challenges wait for us everyday. Maybe the time has come to stop the search for the lost time and start a true alliance of Pan American countries to improve the health of our people who ail from neurological diseases. Maybe, as multinational independent professionals, with no other aims but to help our patients, we can put forth a special effort to develop such an alliance. Maybe we can have a continental Pan American neurology that can help bring the benefits of science, knowledge, and technology to a large population of patients who do not currently have opportunities to enjoy the same care as others. There are more than 30 countries in our continents united by geographical chance, but with the need to be united by more than that.

The forthcoming Pan American Congress in Cancun could be an opportunity to talk about these themes and ideas, and perhaps come up with an

Mark Your  
Calendars  
2016

**9th World Congress for Neurorehabilitation**

May 10-13, 2016  
Philadelphia, Pennsylvania

**2nd Congress of the European Academy of Neurology**

May 28-31, 2016  
Copenhagen, Denmark

**5th International Conference — Advances in Clinical Neuroimmunology**

June 17-18, 2016  
Warsaw, Poland

**14th International Congress of Neuromuscular Diseases (ICNMD 2016)**

July 5-9, 2016  
Toronto, Canada

**21st Meeting of the International Society for the History of the Neurosciences**

July 11-16, 2016  
Maastricht, Netherlands

**Asia Pacific Stroke Conference 2016 Asia Pacific Stroke Organisation (APSO) & the Stroke Society of Australasia (SSA)**

July 14-17, 2016  
Brisbane, Australia

**6th International Conference on Transcranial Brain Stimulation 2016**

September 7-10, 2016  
Göttingen, Germany

**12th European Congress on Epileptology (ECE)**

September 11-15, 2016  
Prague, Czech Republic

**5th European Headache and Migraine Trust International Congress**

Sept. 15-18, 2016  
Glasgow, United Kingdom

incipient program to help us make up the lost time. •

J. Eduardo San Esteban, MD is the educational coordinator and former president of the Mexican Academy of Neurology, and director of education of the Neurology Center, American British Cowdray Hospital, Mexico City.

# WFN and the Canadian Neurological Society Announce a New Department Visit Program

MORRIS FREEDMAN, MD, FRCPC;  
GUY ROULEAU, MD, PHD, FRCPC, OQ;  
WOLFGANG GRISOLD, MD; COLIN CHALK, MD,  
CM, FRCPC; JEANNETEITELBAUM, MD, FRCPC;  
AND DAN MORIN

The World Federation of Neurology (WFN) Department Visit Program was initially developed in support of the WFN's Africa Initiative to provide educational opportunities for young neurologists living in Africa. The success of the program is exemplified by the participation of Turkey, Austria, and Norway, which have served as host countries to African neurologists and have provided funding for the visits.

At the World Congress of Neurology in Chile last year, Dr. Raad Shakir, president of the WFN, suggested to Dr. Morris Freedman, newly elected WFN trustee from Canada, that the Department Visit Program be expanded to include Canada as a host country. The proposed goal was to support the Central and South America Initiative Network. Canada welcomed Dr. Shakir's suggestion as an opportunity to contribute to the international education of neurologists.


Dr. Guy Rouleau, director of the Montreal Neurological Institute and newly appointed Canadian delegate to the WFN, along with Dr. Colin Chalk, president of the Canadian Neurological Society, Dr. Jeanne Teitelbaum, president of the Canadian Neurological Sciences Federation, the umbrella organization of which the Canadian Neurological Society is a member, and Dan Morin, CEO of the Canadian Neurological Sciences Federation, all enthusiastically endorsed the concept of the Department Visits. Shortly afterwards, with the guidance and assistance of WFN Secretary General Dr. Wolfgang Grisold, and WFN Education Committee Chair and Co-Opted Trustee,



Morris Freedman, MD, FRCPC



Guy Rouleau, MD, PhD, FRCPC, OQ



Wolfgang Grisold



Colin Chalk, MD, CM, FRCPC



Jeanne Teitelbaum, MD, FRCPC



Dan Morin, CEO

Dr. Steven Lewis, the joint WFN-Canada Department Visit Program was launched with a formal announcement and call for applications in early March 2016.

Under Dr. Guy Rouleau's supervision, the Montreal Neurological Institute will be the host site for the first Department Visit to Canada. The Montreal Neurological Institute was founded in 1934 by Dr. Wilder Penfield and has become the largest specialized neuroscience complex in Canada. Among its specialized clinics are those for movement disorders, epilepsy, multiple sclerosis, muscle diseases, pain, brain tumors, and amyotrophic lateral sclerosis. Last year, it received more than 42,000 ambulatory patient visits. More than 28,000 diagnostic tests were carried out, and neurosur-

geons performed some 1,800 procedures. The Montreal Neurological Institute has long been a leader in the training of neurologists and neurosurgeons, and it is the principal site of McGill University's Integrated Program in Neuroscience, the largest graduate neuroscience program in North America. Always at the forefront of innovation, the Montreal Neurological Institute has been the gateway to Canada for technologies such as encephalography (EEG), magnetic resonance imaging (MRI), positron emission tomography (PET), and computer-assisted tomography (CT). More information about the Montreal Neurological Institute can be found at [www.mcgill.ca/neuro/about](http://www.mcgill.ca/neuro/about).

The Canadian Neurological Society will be the host society of this Department Visit program.

The Canadian Neurological Society was established in 1948 as an organization of neurologists and neurosurgeons. In 1965, the original Canadian Neurological Society was dissolved and two new societies were created to represent the two distinct groups, i.e., the modern day Canadian Neurological Society and the Canadian Neurosurgical Society. The mission of the Canadian Neurological Society is to enhance the care

of patients with diseases of the nervous system through education, advocacy, and improved methods of diagnosis, treatment, and rehabilitation. The Canadian Neurological Society and the Canadian Neurosurgical Society, along with the Canadian Association of Child Neurology and the Canadian Society of Clinical Neurophysiologists, are all member societies of the Canadian Neurological Sciences Federation. More information about the Canadian Neurological Society and the Canadian Neurological Sciences Federation can be found at [www.cnsfederation.org/](http://www.cnsfederation.org/)

The Montreal Neurological Institute and the Canadian Neurological Society will host two neurology trainees or junior faculty who are within five years of certification in neurology to visit the Montreal Neurological Institute for four weeks. To qualify, applicants must be residents of a country in Central or South America. The focus for the visiting neurologists and neurology trainees will be to experience the Canadian neurological system in an international environment, meet new colleagues, and foster future cooperation.

Support will be provided for travel expenses, accommodation, living expenses, and cost of health insurance during the stay in Canada.

The evaluation committee consists of two representatives from each of the following: the Canadian Neurological Society, the WFN Education Committee, and the Central and South America Initiative Network.

The initial department visit will take place during late 2016 or 2017, and applications will be accepted until May 15, 2016. More information can be found at [www.wfneurology.org/wfn-mni-cns-montreal-department-visit-programme](http://www.wfneurology.org/wfn-mni-cns-montreal-department-visit-programme).

Morris Freedman is a WFN trustee, and is with the department of medicine, division of neurology, Baycrest Health Sciences, Mt. Sinai Hospital, and University of Toronto; Sam and Ida Ross Memory Clinic Baycrest; Rotman Research Institute, Baycrest, Toronto, Canada.

Guy Rouleau is with the Montreal Neurological Institute, department of neurology and neurosurgery, McGill University, Montreal, Quebec, Canada.

Wolfgang Grisold is WFN co-chair of the Education Committee and secretary general, and is with the department of neurology, Kaiser Franz Josef Hospital of Vienna, Austria; Medical University of Vienna, Austria.

Colin Chalk is with the department of neurology and neurosurgery, McGill University, Montreal, Canada.

Jeanne Teitelbaum is with the department of neurology, McGill University, department of medicine and neurology, Université de Montréal, Montreal, Quebec.

Dan Morin is CEO, Canadian Neurological Sciences Federation.



The Montreal Neurological Institute, founded in 1934 by renowned neurosurgeon Dr. Wilder Penfield, is the largest specialized neuroscience research and clinical center in Canada, and one of the largest in the world.



Pioneering research and treatment of epilepsy at the Montreal Neurological Institute, the "Montreal Procedure," a surgical treatment for epilepsy developed by Dr. Penfield and colleagues, is used all over the world.

# Editor's Update and Selected Articles from the *Journal of the Neurological Sciences*

BY JOHN D. ENGLAND, MD  
EDITOR-IN-CHIEF, JOURNAL OF THE  
NEUROLOGICAL SCIENCES

On February 1, 2016, the [World Health Organization](#) (WHO) declared that the Zika outbreak in the Americas is a Public Health Emergency of International Concern (PHEIC). This recommendation was based upon the growing concern that Zika virus infection is linked to the increasing number of cases of neonatal microcephaly and other neurological conditions such as Guillain-Barré syndrome (GBS). As of April 6, 2016, the Zika virus has been reported in 62 countries or territories, and is circulating in 39 of them. Of great concern is the fact that the geographical distribution of the virus has steadily and rapidly expanded. Since Zika virus is transmitted to humans by *Aedes* mosquitoes, there is great concern that the virus outbreak will continue to spread to other countries and territories. Although most people who are infected with Zika virus appear to have few symptoms, the latest evidence suggests a clear association of the virus with a congenital syndrome of brain malformation/microcephaly, and an increased incidence of GBS and other neurological conditions (e.g., myelitis and meningoencephalitis). The Zika virus congenital syndrome (microcephaly) has been seen in French Polynesia and especially in Brazil, where several thousand cases have been reported. Thirteen countries or territories have reported an increase in the incidence of GBS in conjunction with the wave of Zika virus outbreak. Assessment of this growing body of information has led the WHO to conclude that Zika virus is a cause of microcephaly and GBS. WHO has called for a coordinated global response to help affected countries and health care providers deal with the crisis. Management of the complications of Zika virus infection is already straining health care systems in affected regions, and there is a serious lack of financial resources available.

WHO has convened several meetings to address the Zika virus epidemic. Several WHO peer-reviewed guidelines have been generated. WHO is posting these guidelines and is providing frequent updates about the Zika virus situation on its website. WHO provides the most comprehensive global information on



John D. England

Zika virus, and I encourage everyone to visit the WHO website, [www.who.int/en/](http://www.who.int/en/) for the most current information.

The Pan American Health Organization (PAHO) is also working with WHO to provide informational resources and support for this crisis. Of course, increased surveillance, enhanced vector (mosquito) control measures, development of reliable diagnostic tests, and vaccine development are priorities.

Collaborative interdisciplinary research on Zika infection and its neurological complications is already being organized, but funding is severely lacking at this time. As an important first step to enhance research collaboration and provide for transparent data sharing, the Neurovirus Emerging in the Americas Study (NEAS) ([www.neasstudy.org/en/home/](http://www.neasstudy.org/en/home/)) is being organized and is supported by an approved Johns Hopkins Medical Institutions IRB protocol. Researchers are encouraged to visit the NEAS website for additional information. The situation is rapidly evolving; therefore, all information is subject to modification as we learn more about this emerging crisis.

Since the *Journal of the Neurological Sciences* represents the World Federation of Neurology, I encourage clinicians and investigators to provide us with the newest information available on this evolving crisis.

Of course, new and interesting information about other neurological diseases is always published in our journal, and in this and the previous issue we have selected new "free-access" articles for our readership.

1) Kyum-Yil Kwon, et al provide data on a retrospective study comparing 28 patients with classic essential tremor (ET) and 24 patients with typical Parkinson's disease-tremor dominant type (PD-TDT). Although there was some overlap in motor and non-motor symptoms, the authors found certain specific features which helped to distinguish ET from PD-TDT. ET presented with relatively symmetric tremor, whereas PD-TDT presented with asymmetric tremor. Leg tremor was seen only in patients with PD-TDT, and this was the most specific tremor sign to differentiate the two groups. Interestingly, the presence of head tremor did not differentiate between the groups. Patients with PD-TDT exhibited more frequent non-motor symptoms compared to patients with ET. The most common non-motor symptoms experienced by the patients with PD-TDT were hyposmia, ortho-

static dizziness, REM sleep behavior disorder (RBD), urinary frequency, and memory disturbance. The authors concluded that evaluation of both motor and non-motor symptoms/signs is necessary to distinguish ET and PD-TDT. Kyum-Yil Kwon, Hye Mi Lee, Seon-Min Lee, Sung Hoon Kang, Seong-Beom Koh, Comparison of motor and non-motor features between essential tremor and tremor dominant Parkinson's disease, *J. Neurol. Sci.* 361 (2016) 34-38. [www.jns-journal.com/article/S0022-510X\(15\)30082-4/fulltext](http://www.jns-journal.com/article/S0022-510X(15)30082-4/fulltext)

- 2) Ari Shemesh, David Arkadir and Marc Gotkine reviewed the clinical characteristics of 346 patients with amyotrophic lateral sclerosis (ALS). They found that finger flexion was relatively preserved when compared to finger extension. In many patients with ALS, finger flexion was only mildly affected when finger extension was severely affected or even paralyzed. Along with the well-known "split hand" sign (ie, preferential involvement of lateral intrinsic hand muscles), the authors have described another useful clinical clue which suggests the possibility of ALS. Ari Shemesh, David Arkadir, Marc Gotkine, Relative preservation of finger flexion in amyotrophic lateral sclerosis, *J. Neurol. Sci.* 361 (2016) 128-130. [www.jns-journal.com/article/S0022-510X\(15\)30095-2/fulltext](http://www.jns-journal.com/article/S0022-510X(15)30095-2/fulltext)
- 3) Oscar H. Del Brutto and Hector H. Garcia provide an excellent review on the history of human *Taenia solium* (the pork tapeworm) cysticercosis. Neurocysticercosis is a major cause

of seizures and neurological disability throughout the world, and this article succinctly reviews how our understanding of this disease has evolved. [O.H. Del Brutto, H.H. Garcia, \*Taenia solium\* cysticercosis-The lessons of history, \*J. Neurol. Sci.\* 359 \(2015\) 392-395.](#)

- 4) Rachel Ventura, Laura Balcer, Steven Galetta, and Janet Rucker from New York University School of Medicine provide an overview of eye movement abnormalities that can occur with concussion. Sports concussions are increasingly recognized as a serious problem with potential long-lasting neurological sequelae. As such, there is a great need to understand concussion and to develop sensitive tests to identify and evaluate patients with concussion. Since ocular motor function is controlled by diffuse and multiple areas of the brain, neuro-ophthalmologic tests can provide a sensitive means of assessing brain dysfunction. The King-Devick test, which measures visual performance, is already being used on the sidelines to assess concussion. In this paper, the authors explain how eye movements are compromised by concussion, and how ocular motor assessment tasks can be used to monitor patients. [R.E. Ventura, L.J. Balcer, S.I. Galetta, J.C. Rucker, Ocular motor assessment in concussion: Current status and future directions, \*J. Neurol. Sci.\* 361 \(2016\) 79-86.](#) •

John D. England, MD, is editor-in-chief of the *Journal of the Neurological Sciences*.



# Overcoming Untreated Epilepsy in the Developing World: the Way Forward

MAMTA BHUSHAN SINGH, MD, AND  
MICHAEL F. FINKEL, MD

The medical world thinks of the developed and developing societies in terms of

diagnostic and treatment differences. However, there are realities that are common to both spheres concerning most medical conditions.

As a medical student, one would read of common disorders that were not being treated. Epilepsy was a striking example. In many rural Indian communities, up to 90 epilepsy patients out of every 100 were not getting treatment. In bureaucratese, this was a treatment gap of 90 percent.

The treatment of epilepsy has since evolved. Over two-dozen antiepileptic drugs are currently available. Many drugs are off patent and generically manufactured, and available in India and other developing nations at reasonable prices. But the epilepsy treatment gap of up to 90 percent still exists in many rural Indian communities! So, why has nothing changed for the lot of millions of epilepsy patients?

Let us humanize the numbers. By using calculations from an often-quoted epilepsy prevalence figure of 1 percent of the population, at least 12 million Indians are struggling with epilepsy.<sup>1</sup> Large prevalence studies are unavailable, and many experts agree that this number is more likely to be closer to 15 million or even higher. This implies that more than 10 million epilepsy patients in India are untreated. Extrapolating worldwide, there are more than 50 million epilepsy patients and at least 40 million of these reside in developing countries. The estimate is that 75 percent of patients in developing countries are outside the domain of any kind of effective treatment. This implies at least 30 million untreated persons.

Ironically, epilepsy is one of the relatively easily controllable neurological diseases.

What is life like with untreated epilepsy? Most persons with epilepsy who do

not have any other neurological illness are essentially normal at all times other than during their seizures. A seizure generally lasts for a few minutes during which, amongst other things, the person is unaware of his or her surroundings, and after which the person may remain confused for a variable amount of time or may sleep off the effects. In either case, the individual is back to normal within a few hours, often without even requiring a trip to the doctor's clinic or the emergency room.

Then what is the great problem about having untreated active epilepsy with an occasional seizure? Imagine having brief episodes of unawareness just once or twice in a month, in six months or even in a year, but not knowing when these would happen. So, you may be driving to work, crossing the street, climbing a tree, in bed with your partner, swimming in the pool, or speaking mid-sentence in that all important meeting. Suddenly, out of the blue, you start convulsing or just fidgeting with your buttons or speaking in an unintelligible jargon or wet your clothes in full public gaze. How would it feel to know that you had done either of these, and then have to go back to the same people in front of whom this had happened? Well, that is assuming that these people agree to work or socialize with you after witnessing a seizure.

The economic impact of untreated epilepsy is formidable in all societies. Many untreated epilepsy patients remain unemployable, especially if local attitudes consider it to be a contagious disease, a mental illness, or a demonic possession. Thus, they are removed as contributors to the economy. Even if they are poor and have minimum wage jobs, this still adds up to a substantial amount of money loss because of the millions affected.

There are other grave consequences of untreated epilepsy. If the patient is of school or college age, they are very likely to have to drop out. This is either due to their parents' fear that their child may be injured during a seizure, or on the insistence of teachers. With limited scope for education, landing a good job later in life is subsequently reduced. The intrigue and misinformation surrounding epilepsy reduces social acceptance of patients. Any relationship, including a stable marriage, especially for women with epilepsy, is unlikely. Abandonment of women with epilepsy and their children from marital relationships is common. Such women, with little or no education, no skills and sometimes also with small children to take care of, are often left at the mercy of an impoverished community.

So, is epilepsy difficult to treat? No. Epi-

lepsy is a relatively easy disease to treat in most patients. The diagnosis is clinical and based upon eliciting a history of stereotyped episodes during which the patient may behave abnormally, have involuntary movements or jerks, generally become unaware of his surroundings and then recover in a short time. After the clinical diagnosis, a couple of investigations—EEG and brain imaging—may be done. Investigations may help in deciding the best anti-epileptic drug, in prognosticating how long the treatment is likely to be needed, and how responsive to treatment the patient's epilepsy might be.

However, even if investigations are not available, as is the case in many developing countries, most patients can still be started on treatment based on clinical history and examination alone. Treatment costs are not very high with generic medications. For example, in India, patients who are treated with one antiepileptic drug spend about \$2-\$5 per month. Many other developing countries face severe shortages of antiepileptic medication and also have to contend with high medication costs. Along with starting antiepileptic drugs, it is necessary to educate and inform patients at the first visit and at every subsequent opportunity, about their disease and its treatment. Without backing up drug treatment with education or "epilepsy literacy," outcomes are unlikely to be good. After starting treatment, regular reviews at least once or twice a year are needed. Patients have to continue treatment for several years. At least 60-70 percent of epilepsy patients will become seizure-free on medication quite easily. The remaining minority have more difficult forms of epilepsy and need further evaluation and treatment at a specialized epilepsy center. Surgery may be an option for some of these difficult patients.

What are the main challenges? Despite the relative simplicity of the process of epilepsy diagnosis and initiating treatment, millions remain untreated in India and the developing world. To our minds, the biggest hurdles are reliance on specialist doctors who are either entirely missing or extremely scarce and located only in a few large metropolitan cities. This produces

a lack of organized, credible, and easily accessible primary care throughout these countries.

Hence, we have the current situation in these countries, where effective systems are not in place. For example, even if an epilepsy patient in a rural area is aware that visiting a doctor and getting the condition treated is possible, what can he do? To whom does he or she go? There is no easy track for one to follow. In India, a hierarchy of health centers exists with a scaling up in staff skill and numbers, and improvement in facilities based upon the size of the population being served. However, doctors and services are not reliably available at these facilities. As a result, an epilepsy patient in a village can either spend an entire lifetime untreated and seizing, or, if he or she is feisty, may make a long and expensive journey to a big city for treatment. No patient should have to do that. In India, there are about 638,000 villages with difficult access. Therein lies the problem. Unless treatment is made available within a radius of about 25-50 kilometers of every small village and town, epilepsy patients and the nation's economy will continue to suffer needlessly.

Some epilepsy is also preventable. Millions of epilepsy patients in India and worldwide have what is best described as

see **EPILEPSY**, page 9



Mamta Bhushan Singh, MD



Michael F. Finkel, MD



Untreated epilepsy with frequent generalized tonic-clonic seizures results in serious injuries and burns. Patients may lose sight, digits, or limb. The visible scars are further stigmatizing for patients who struggle with societal acceptance. Photo credit: Priya Jain.

## EPILEPSY

continued from page 8

“preventable epilepsy.” In other words, their epilepsy should not have even happened in the first place. Tapeworms cause epilepsy associated with neurocysticercosis. It reflects lack of access to clean food and water, poor sanitation and hygiene, and is an illustration of the public health aspect of epilepsy. Accidents, including frequent road traffic accidents, may lead to head injury and posttraumatic epilepsy. This form of epilepsy is notoriously difficult to treat and often requires surgery. Birth injuries and hypoxic brain damage are more likely to occur with unsupervised childbirth at home. This practice is diminishing, but still prevalent in many rural communities in the developing world. Such babies may also have epilepsy in addition to cerebral palsy, mental subnormality, and behavioral abnormalities. Other preventable epilepsies include epilepsy associated with other brain infections, and drug and alcohol abuse.

How can we overcome epilepsy? Clearly, what the medical community and governments have been doing so far has not worked. The International League Against Epilepsy celebrated its centenary in 2009. The WHO has existed for seven decades. Work has definitely been done and some progress made. But it is too little and at a very slow pace. Times have changed, and many newer resources are available. The need of the hour is a paradigm shift in all

aspects of epilepsy care.

We need to think about who will shoulder the responsibility of caring for epilepsy patients in communities where there is a shortage of doctors and specialists. Can the epilepsy care workforce be expanded beyond doctors? Can epilepsy only be diagnosed by seating the patient in front of a doctor in a hospital clinic setting, or are there other viable, safe, and acceptable options? Do patients have to be transported to big city hospitals for investigations or can this also be done in heretofore-overlooked settings?<sup>2</sup> Once started on treatment, can regular patient reviews only be done in clinics, or can they be done remotely by telemedicine? Untreated epilepsy can no longer be considered just another medical condition. It is a public health issue. Lives are being impacted as adults become unemployable and the caretaker is likewise reduced in their workforce role.

If diagnosing and treating epilepsy remains only an epileptologist's, neurologist's, or even a general physician's brief, then in developing countries like India, untreated epilepsy will never go away. Non-specialists such as paramedical personnel, district health workers, and nurse clinicians need to be trained and enlisted to expand the epilepsy workforce. Technology is now becoming available for various aspects of epilepsy care and can be pressed into action. Evidence is accruing that epilepsy diagnosis by non-physicians using a phone application is possible.<sup>3</sup> This

can at least be used as a screening tool in remote rural communities. Nurse-led epilepsy clinics may be considered.<sup>4</sup> Diagnosing and starting treatment using mobile rural outreach clinics and patient follow-up using the ubiquitous mobile phone are all viable options that hold promise.<sup>5,6</sup>

Finally, unless efforts at diagnosing and starting treatment are not accompanied by concerted efforts of raising epilepsy literacy amongst patients, caregivers, and laypersons, success will remain elusive. An Epilepsy Resolution approved by the World Health Assembly on the May 26, 2015 is considered a historical landmark. This resolution was overdue and now societies need to push hard to make it work.

Are countries really too poor to bargain for generic drugs for their citizens? The defense budget of India for 2015-16 is \$40 billion, and even a 1 percent reduction in this may be enough to treat the currently untreated epilepsy patients for one year. Reducing the country's nuclear spend marginally or even getting a sliver of funds spent by the Board of Cricket Control in India may be enough for funding epilepsy treatment in untreated patients. Savings can be achieved in developed countries by allowing the treating personnel to use the appropriate generics rather than the cheapest ones, a common conundrum for U.S. physicians, since the cheapest are not always the most effective. This promotes more seizures and more expenses related to caring for the additional seizures and related injuries. A statement has been

attributed to former Secretary of State Condoleezza Rice that the U.S. budget for military bands is higher than that for the U.S. State Department. Certainly these funds can be diverted to effective treatments for uninsured U.S. citizens, rather than to ceremony. Even where universal health care exists, there are expenses that can be cut to fund these physician-prescribed needed medications. •

### References

1. [www.who.int/mediacentre/factsheets/fs999/en/](http://www.who.int/mediacentre/factsheets/fs999/en/)
2. [www.bostonglobe.com/business/2015/05/21/mobile-health-technology-helps-tackle-epilepsy-bhutan/c6vm07XOznyDegla4BYSAM/story.html](http://www.bostonglobe.com/business/2015/05/21/mobile-health-technology-helps-tackle-epilepsy-bhutan/c6vm07XOznyDegla4BYSAM/story.html)
3. Patterson V. Singh M. Rajbhandari H. Vishnubhatla S. Validation of a phone app for epilepsy diagnosis in India and Nepal. *Seizure* 30, 2015, 46-49
4. Paul P. Agarwal M. Bhatia R. Vishnubhatla S. Singh MB: Nurse-led epilepsy follow-up clinic in India: is it feasible and acceptable to patients? A pilot study. *Seizure*; 2014;23(1): 74-6
5. Bigelow J. Singh V. Singh M. Medication adherence in patients with epilepsy after a single neurologist visit in rural India. *Epilepsy Behav.* 2013 Nov;29(2):412-5

Mamta Bhushan Singh, MD, DM is an additional professor, department of neurology, All India Institute of Medical Sciences, New Delhi,

India. Michael Finkel is a retired neurologist, and a member of the AAN, Child Neurology Society, ENS, EFNS, and BMA. He is a fellow of the AAN.

## NEUROLOGICAL SOCIETY

continued from page 2

constitutes a further focus, and the neurosonology lab is one of the few DEGUM-certified labs in Germany. Cerebrovascular diseases are treated according to the latest state of medicine, including mechanical thrombectomies. Furthermore, there is special expertise in the treatment of

20 faculties.

University Hospital of Ulm (RKU): The department of neurology, University Hospital of Ulm (RKU), chaired by Professor Albert C. Ludolph, is a maximum care hospital for neurology (tertiary referral) for 93 inpatients, including a certified supra-regional stroke unit/intermediate care ward for 27 inpatients, plus additional beds in an interdisciplinary intensive care unit

and an additional neurological rehabilitation clinic with all levels of rehabilitation care. The department of neurology has its own CSF-lab and its own immune adsorption unit. The clinic has a dedicated

imaging facility with MRI (where neurologists are specifically trained) and a state-of-the-art angiography unit where mechanical thrombectomies are performed. The outpatient clinic includes multiple, highly specialized outpatient clinics (including those for amyotrophic lateral sclerosis,

Huntington's disease, Parkinson's disease and other movement disorders, multiple sclerosis, dementias, epilepsy, pain, brain tumors, etc.) and a dedicated neurological clinical study center. The main clinical and scientific focus are motor neuron disorders/amyotrophic lateral sclerosis for which the department is one of the world's largest and most renowned centers.

The visit will take place in mid-October 2016.

### Details about support

The German Neurological Society will provide the following support:

- Travel expenses: Country of Residence — Germany — Country of Residence
- Accommodations for four weeks
- Living expenses (food and beverage) during the four weeks
- Costs of health insurance during the stay in Germany

Criteria for applications:

- The applicant must be a resident of a country in a low or lower, middle-income country in the African continent
- The applicant must have been born after December 12, 1975

Evaluation Committee:

Two representatives of the German Neurological Society

Two representatives of the WFN Education Committee

Two representatives from the African Academy of Neurology

Deadline for application:

To apply, applicants must email their CV, a supporting statement, and a letter of recommendation from their head of department by May 30, 2016 to the WFN Education Coordinator, Ella Nkanagu, [enkanagu@kenes.com](mailto:enkanagu@kenes.com).

For any questions regarding your application, or to apply, please contact the administrative office of the WFN Education Committee at +41 22 908 0164 or [enkanagu@kenes.com](mailto:enkanagu@kenes.com). •

Ralf Gold, MD, is professor and chair, department of neurology, Ruhr University, Bochum, Germany; Wolfgang Grisold, MD, is WFN secretary general and a professor in the department of neurology, Kaiser Franz Josef Hospital of Vienna, Austria; Albert Ludolph, MD, is chairman, department of neurology, University of Ulm, Germany; and Thomas Thiekötter, MD, is CEO, German Neurological Society, Berlin.

**The WFN was formed in Brussels in 1957 as an association of national neurological societies. Today, the WFN represents 119 professional societies in 116 countries in all regions of the world.**


neurodegenerative disorders such as Parkinson's or Huntington's disease.

The Ruhr University Bochum (RUB) was founded in 1962 as the first new public university in Germany since 1945. Today, the RUB is one of the largest universities in Germany and harbors more than

# John Sutherland and Multiple Sclerosis in Scotland and Australia

M. J. EADIE, BRISBANE, AUSTRALIA

Over several centuries, those born in Scotland have often left their homeland because of the perceived lack of opportunity, and then made successful lives in other countries. This behavior was particularly frequent during the so-called Highland clearances of the 18th and 19th centuries. Scottish landowners dispossessed their tenant farmers who had been engaged in small-scale agriculture for generations, to make land available for more profitable sheep rearing. As one consequence, more people of Scottish ancestry now live elsewhere in the world than in Scotland itself. In 1956, there was a Highland clearance on a micro scale, when lack of available consultant positions in the British National Health Service resulted in a trained neurologist of Highlander origin emigrating to Australia.



M. J. Eadie


John Sutherland (Fig 1) was born in Caithness, in the extreme northeast of mainland Scotland, in 1919. He was educated in Glasgow, and graduated in medicine from the University of Glasgow in 1943. After service in the wartime Royal Navy, he returned to the Western Infirmary, Glasgow, in 1946 as medical registrar to Douglas Adams, a consultant physician with neurological interests, particularly concerning multiple sclerosis. Adams launched Sutherland into clinical and laboratory research related to the disease, resulting in the addition of a research medical degree (Glasgow) to Sutherland's existing basic medical qualifications. After his appointment in Glasgow ended, Sutherland went to Inverness, the so-called "capital" of the Scottish highlands, in 1950, as senior medical registrar. He remained there for five years, followed by some months in a similar level position in Aberdeen, a little further south on the east coast of Scotland. In Inverness, though without the formal title, he in effect functioned as neurological consultant for the Scottish Highlands, the Hebridean Islands off the northwest coast of the country, and the Orkney and Shetland Islands north of the mainland. From Inverness he investigated a suspicion that arose out of his multiple sclerosis clinical studies in Glasgow, namely that there

might be an uneven distribution in the occurrence of multiple sclerosis between parts of Scotland.

Because of his close professional relationships with medical practitioners in the areas he serviced, he achieved a high multiple sclerosis case ascertainment rate and, after various field expeditions, found that the prevalence of the disease in the shaded areas of the map (Fig 2) covered over in red was approximately twice that in the remaining shaded parts. He realized that the red areas were those where the population was predominantly of Nordic origin, a later-day result of Viking invasions and settlement centuries earlier. The remaining shaded areas had populations largely of Gaelic lineage and who still could understand and employ the Gaelic language. Thus, he obtained persuasive evidence, perhaps the earliest, that genetic and racial factors might play a role in the etiology of multiple sclerosis.

In the year that this study was published,<sup>1</sup> Sutherland arrived in Australia to take up an academic position in Brisbane, the capital of the state of Queensland that occupies most of the northeast quarter of the continent (Fig 3). After a few years, he commenced consultant neurological practice in that city. In the 1950s, it was generally believed locally that multiple sclerosis rarely occurred in the northern half of Australia, and that native-born Queenslanders never suffered from it. Sutherland soon showed that these ideas resulted from a local medical unfamiliarity with the spectrum of clinical manifestations of the disorder, so that it simply was not being recognized.

Knowing that multiple sclerosis prevalence increased with increasing distance from the equator in the northern hemisphere, and because of his earlier investigation being alert to the possible relationship between geographical and racial factors and disease distribution, Sutherland proceeded to investigate whether a similar disease prevalence distribution in relation to latitude existed in the southern hemisphere. No adequate data were then available. Australia was a peculiarly suitable site for investigating the matter. It possessed a 3000 km-long north-to-south dimension, a uniform and high standard of medical practice throughout, main population centers spaced reasonably evenly along its eastern seaboard, and was populated almost exclusively by those of British and other European stock who spoke English (though some of them may have initially wondered if Sutherland also did, until his broad Scotch accent gradually became somewhat attenuated).



An outline map of Australia found among John Sutherland's papers, with dotted latitude lines added to it in his hand. The map includes names of the cities where he studied multiple sclerosis prevalence, and the local prevalence figures per 100,000 of population he obtained, have subsequently been inserted; the figures from his earlier survey in red, and from the later one in purple.



John Sutherland's map of Scotland. The shaded areas show where he investigated the prevalence of multiple sclerosis, with the original version modified by coloring over in red in the higher prevalence areas.

# Observership Report: WFN and Austrian Neurological Society Department Visit Program

BY KALPESH DERAJI JIVAN, MD

I was fortunate to receive funding to join the neurology intensive care unit at Innsbruck Medical University in Austria as an observer for one month in October, 2015. There are no specialized neuro-ICUs in South Africa, where I am from. In South Africa's public health care system, critical care for patients with neurological illnesses remains in the domain of our pulmonologists and anaesthetists. However, due to lack of beds in the general ICU, patients with critical neurological illness are often overlooked for admission to the ICU, and are unfortunately, left in the general neurology ward to receive basic care. This results not only in higher morbidity and mortality rates, but a sense of despair among the medical staff in not being able to deliver the best treatment.

The neuro-ICU at Innsbruck Medical University was set up in the early 1980s with the principle aim of offering rigorous neurological and neuro-rehabilitative support to acutely ill neurological patients. The unit has developed into a world-leading neurological ICU with 10 ICU beds and six step-down, high-care beds. The unit is equipped with modern mechanical ventilators and multi-modality cardiovascular, respiratory, and neurological monitoring. Their patient population includes traumatic brain injury, subarachnoid and intracerebral hemorrhage, severe ischemic strokes, status epilepticus, neuromuscular disorders, severe central nervous system infections, brain tumors, encephalopathies (metabolic/toxic/anoxic), etc.

The unit is run by Professor Erich Schmutzhard and his team of neurological intensivists (Dr. Bettina Pfausler, Dr. Ralmund Helbok, and Dr. Ronny Beer). There are usually three to five junior doctors, including interns, medical officers, and neurology and neurosurgery resident doctors. There are approximately 60 ICU trained nurses and a full complement of allied medical personnel, including speech therapists and physiotherapists. Its monitoring capabilities are similar to that of other neurocritical care units and include measurement of intracranial pressure, cerebral perfusion pressure, brain tissue oxygen saturation, cerebral microdialysis, near infrared spectroscopy, transcranial Doppler and transesophageal echocardiography. The team routinely performs placement of central venous and arterial lines, continuous renal dialysis, and intravascular cooling for prophylactic normothermia and therapeutic hypothermia. Apart from clinical work, the department is very academic, dishing out leading research publications on a regular basis.

The morning starts off with a meeting with the entire neurological department



From left to right, Kalpesh Deraji Jivan, MD, Bettina Pfausler, MD, and Ralmund Helbok, MD

discussing all neurological patients admitted in the past 24 hours and reviewing their scans. Frequently, this is followed by an academic presentation. Thereafter, the neuro ICU team have a handover round, during which the doctor covering the ICU the previous night hands over the patients to the day staff. Upon cessation of this round, the team proceeds with the actual ward round led by one of the consultants, meticulously examining each and every patient, and deciding on the treatment plan for the day. Thereafter, I would accompany the consultant to see any consults elsewhere in the hospital and observe procedures finishing in the neuro-ICU.

The experience was well above my expectations and gave me a wider understanding of the management of neurological conditions in a first world setting and how different (and occasionally how similar) it is to South Africa. I was impressed by the efficiency with which things get done in the hospital. Due to limited resources available in the public hospitals in South Africa, patients can wait up to two weeks

(if not longer) for scans, whereas scans requested at the Innsbruck neuro-ICU were completed on the same day. One of the highlights was to follow patients with invasive intracerebral monitors (intracranial pressure, brain tissue oxygen saturation, cerebral microdialysis, etc). It was interesting to see how this monitoring

---

**The neuro-ICU at Innsbruck Medical University was set up in the early 1980s with the principle aim of offering rigorous neurological and neuro-rehabilitative support to acutely ill neurological patients.**

---

played a role in daily management of these patients. This type of monitoring is not readily available in the public hospitals in South Africa.

Another highlight was observing therapeutic hypothermia being performed on a 72-year-old woman who developed cardiac arrest in a primary hospital. She recovered spontaneous circulation after CPR. She was flown by helicopter to Innsbruck. Following the therapeutic hypothermia and neurological intensive support, she woke up a few days later with no significant neurological deficit. Upon seeing patients with severe brain pathologies recover, this visit has invigorated my enthusiasm in providing the best available care to my patients and not to give up too easily when no other resources are available.

## Acknowledgement:

First, I would like to thank the World Federation of Neurology (WFN) and the Austrian Neurological Society for selecting me to participate in the inaugural department visit program and to gain valuable experience. I am grateful to Professor Girish Modi for bringing the advertisement for the observership to my attention and assisting me in applying for it. I would also like to extend my gratitude to Tanja Weinhart, the executive secretary of the Austrian Society of Neurology, for arranging my flights and accommodation, thus making my stay in Innsbruck very comfortable. A big thanks goes to Professor Reinhold Schmidt and Professor Wolfgang Grisold for taking time out of their busy schedule to invite me to lunch in Vienna, and not only educating me about health care in Austria, but also adding to my waistline by spoiling me with their local delicacies. I am grateful to Professor Schmutzhard and his team for accommodating me in their department. Lastly, a big thanks goes to Dr. Bettina Pfausler for ensuring that I learned a lot about neuro-ICU. I would have to admit that I struggled with the language, as all meetings and ward rounds are conducted in German; however, Dr. Pfausler and Dr. Helbok were on hand to translate for me. Dr. Pfausler, a self-proclaimed "proud Tyrolean," not only ensured that this observership was successful from an academic standpoint, but she also educated me on the history of the Tyrol region of Austria. •

**WORLD BRAIN DAY***continued from page 1*

social and economic well being of older persons in the future. On the one hand, health care authorities are deeply concerned with the current status and future trends of our growing population, but little has been done to handle these growing needs.

The World Federation of Neurology has stepped forward to dedicate this year's World Brain Day to the aging population and has chosen the motto: "The aging brain." Our intention for this World Brain Day is to increase awareness about the treatment and prevention of brain and neuromuscular diseases affecting mostly elderly persons. The first step of prevention is to improve concepts and means of brain health also among the younger population in order to help prevent brain disease later in life and to improve the quality of life for older persons.

Disease prevention is the concept. However, a much larger number of individuals will be affected by diseases of the brain and the neuromuscular system which are not (yet) preventable. Thus it is also the duty of society to care for the elderly with progressed neurological disease, and to provide the framework for quality of life, dignity, and the necessary care.

In this group of patients, the focus has to shift from the aspect of a curative condition, towards the inevitable death of all individuals. The concept of palliative care and hospice needs to be implemented in the aging population and in neurological care.

**How Can we Improve Brain Health and Prevent or Treat Neurologic Diseases and Care for Persons with Advanced Brain Disease?**

Stroke and vascular dementia are among the most important neurological diseases affecting persons of higher age. For these conditions, there are preventable and modifiable risk factors. Education, cognitive exercises, physical activity, and nutrition are important areas of intervention for prevention and slowing down of cognitive decline. Parkinson's disease is a neurodegenerative disorder, but effective symptomatic treatment is available.

Emotional health is as important as cognitive health in elderly persons. Quality of life and a lack of disability can be associated with emotional well being. Effective interventions are available for maintenance and promotion of emotional health.

Despite prevention strategies, age is a non-modifiable risk factor, just as effects of degenerative and hereditary diseases on the brain and the neuromuscular system. Supportive, palliative care, and the hospice concept need to

be integrated into the concept of neurological care in dealing with an aging population.

**WFN and National Societies Activities**

To raise awareness with respect to the aging brain and neurologic diseases in the elderly, the WFN is asking its members to use this year's "Day of the Brain" to advocate and campaign in their country for these emerging problems.

The WFN public awareness and advocacy committee will prepare publicity material for this campaign, which includes logos, banner ads for web sites, handbills, brochures, posters, billboards, and presentations.

There will be a press conference. A template press release will be prepared and circulated to delegate societies. They can be adapted for local use with respect to national/regional data, priorities, or by adding quotes from national/regional experts.

The most important target of this campaign is the public. We need to create simple messages in local languages and promote them via print, electronic and social media, billboards, banner, events, etc.

Other important areas of intervention are health care authorities and policy makers. Our campaign should result in policy and priority shift at the national or local level. We have to plan targeted activities to facilitate this outcome.

Another important area of intervention is awareness and training of general practitioners, nurses, and paramedical staff.

Involvement of the media is a must. Celebrities or scientists could be a part of this advocacy campaign.

Delegate societies are strongly encouraged to organize awareness activities that may include press conferences, media briefing sessions involving local media, seminars, conferences, public awareness sessions, presentations at local schools, colleges, universities, posters, essays, drawing competitions, and newspaper and magazine articles.

**Collaborators**

As in the past, the WFN will work with various health entities, and professional and welfare organizations to promote awareness for World Brain Day.

The WFN is hoping for your collaboration to improve the health and future of patients with an aging brain. Please follow our website, [www.worldneurologyonline.com](http://www.worldneurologyonline.com), and our social media.

If you have suggestions, or ideas for World Brain Day 2017, please do not hesitate to contact us at [wbd2016@wfneurology.org](mailto:wbd2016@wfneurology.org).

**NEUROMUSCULAR DISEASES***continued from page 1*

ALS Ice Bucket Challenge, the disease remains a huge global health problem.

The Congress will address all aspects from muscular dystrophies, other myopathies, myasthenia gravis, polyneuropathies, spinal cord disorders, and neurofibromatosis, to name just a few of the major themes within the Congress. The Congress will include updates on understanding of the genetics, pathogenesis, evaluation, and treatment of neuromuscular disorders.

The Scientific and Program Committee invited some of the world's leading experts in the field of neuromuscular diseases, with the hope that at the end of the Congress, attendees will have garnered the most up-to-date information available in neuromuscular disorders.

The Congress is CME Accredited from the University of Toronto. For the total number of credits, please visit the Congress website.

The Program and Scientific Committee has worked tirelessly to plan an exemplary and intellectual program to inspire, educate, and support those individuals and organizations that fight against neuromuscular diseases.

The Congress will unofficially start on Tuesday, July 5 with a full day of Teaching Courses. These courses will be small classroom-sized sessions with a focus on the practical applications and

knowledge of specific topics.

An Opening Ceremony is scheduled for Tuesday evening, and from Wednesday, July 6 to Saturday, July 9, the Congress will host workshops that offer multidisciplinary exploration of focused topics related to neuromuscular diseases.

There will be four exciting Plenary Sessions that will feature experts in their fields. Topics include genetics, hot topics, muscular dystrophy, and motor neuron disease.

Toronto is one of the most multicultural diverse cities in the world, where more than 140 languages are spoken, and microcosms of different cultures are thriving in unique cohesion. Only a short distance to world renowned attractions like Niagara Falls and the Canadian wilderness, ICNMD 2016 promises to be a highly rewarding meeting on a social and intellectual basis.

For more details around the scientific program, and registration, please visit the Congress website at <http://icnmd2016.org>.

Vera Brill, MD, is president of the 14th International Congress on Neuromuscular Diseases (ICNMD) 2016, professor of neurology, Krembil Family chair in neurology, program medical director, Krembil Neuroscience Program, University Health Network, head of neurology, University Health Network, Mt. Sinai Hospital, deputy physician-in-chief, finance, University Health Network, Mt. Sinai Hospital, Toronto.

**PRESIDENT'S COLUMN***continued from page 3*

Zika is different than other varieties of GBS.

7. Is there a registry of cases of neurological Zika virus infection other than GBS?
8. Any report on vaccine development?
9. Is Zika virus present in breast milk and what is the risk to breast-fed infants?

One can easily see that the brunt of the neurological complications fall in the child neurology world. The WFN is working very closely with the International Child Neurology Association to collaborate and come up with a joint stance in combating this most devastating viral infection during pregnancy. The ICNA is dedicating a session of its forthcoming world congress to Zika viral infection.

The division of mental health, substance abuse, and neurosciences in the WHO is very keen on informing member states on the importance of neurological expertise in the fight against Zika virus infection. This has brought into focus the dire lack of neurologists both for adults and children across the world. The second edition of the Neurology Atlas jointly produced by the WHO and the WFN has demonstrated

in its figures that the mean number of neurologists per 100,000 people is 0.7 in the Americas, compared to 6.6 in Europe (Fig1). The figures are more poignant as the Pan American region includes the U.S. and Canada. The logical conclusion is that there is a vast shortage in the areas affected by Zika virus infection.

The WFN is collaborating with the Canadian Neurological Society to join the worldwide program for short-term training of young neurologists and in this case neurologists will be chosen from Latin America for short training periods in Canada. The WFN has already had such a program with four European countries for training African Neurologists, and now the program is branching out to the Americas.

In March 2016, the neurology training program in Mexico has been inspected and accredited by the WFN, and a similar short-term training will start. Mexico already trains young neurologists from across Central America (Fig2).

Perhaps Zika virus infection has produced a momentum for all of us to demonstrate our willingness to cooperate and act quickly in the face of this pandemic. We are at the beginning of a long, difficult, and tortuous road.

## MULTIPLE SCLEROSIS

*continued from page 10*

Sutherland initially carried out a field study of multiple sclerosis prevalence in three tropical Queensland coastal cities (Cairns, Townsville, and Mackay) and in sub-tropical Toowoomba (about 100 km west of Brisbane).<sup>2</sup> Recognized cases of the disease were found to have a lower prevalence in the tropical than in the sub-tropical population, though the disease prevalence was low relative to that in Northern hemisphere populations.

Spurred on by this finding, he then collaborated with local neurologists and epidemiologists in selected southern cities

he proposed a speculative hypothesis regarding multiple sclerosis prevalence and the capacity of regional soils to bind molybdenum in preference to copper.<sup>6</sup>

In Australia, Sutherland became a very successful consultant who developed an additional major interest in medico-legal neurology. With the years, his active investigative work into multiple sclerosis diminished, though he retained a watch on the relevant literature until the end, which came in 1995.

Scotland's inability to provide appropriate professional opportunity for another of its many sons thus provided Australia with one of that country's pioneer neuroepidemiologists, a man whose

investigative endeavors helped awaken ongoing broader interest into multiple sclerosis far from his homeland. •

### References


1. Sutherland JM (1956) Observations on the prevalence of multiple sclerosis in northern Scotland. *Brain* 79: 635-654.
2. Sutherland JM, Tyrer JH, Eadie MJ, Casey JH, Kurland LT (1966) The prevalence of multiple sclerosis in Queensland, Australia. *Acta Neurologica Scandinavica* 42 (Suppl 19): 57-67.
3. McCall MFG, Brereton TLG, Dawson A, Millingen K, Sutherland JM, Acheson ED (1968) Frequency of multiple sclerosis in three Australian cities – Perth, Newcastle and Hobart. *Journal of Neurology Neurosurgery and Psychiatry* 31:1-9.

4. Sutherland JM, Tyrer JH, Eadie MJ (1962) The prevalence of multiple sclerosis in Australia. *Brain*; 85:149-164.

5. Eadie MJ, Sutherland JM, Tyrer JH (1965) Multiple sclerosis and poliomyelitis in Australasia. *British Medical Journal* 1: 1471-1473.

6. Layton W, Sutherland JM (1975) Geochemistry and multiple sclerosis: a hypothesis. *Medical Journal of Australia*. 1:73-77

Mervyn Eadie is emeritus professor of clinical neurology and neuropharmacology, University of Queensland, Brisbane, Australia. Peter J. Koehler is the editor of this history column. He is a neurologist at Atrium Medical Centre, Heerlen, Netherlands. Visit his website at [www.neurohistory.nl](http://www.neurohistory.nl).



John Sutherland in his 60's

(Newcastle, Perth and Hobart) to show a higher multiple sclerosis prevalence the further south the matter was studied.<sup>3</sup> Later still, in another collaborative study that took in New Zealand, overall closer to the South Pole than the southernmost parts of Australia, further evidence was obtained.<sup>4</sup> Thus Sutherland's name became associated with a series of investigations that demonstrated beyond reasonable doubt that multiple sclerosis prevalence increased with greater distance from the equator in the southern as well as in the northern hemisphere.

He also initiated other multiple sclerosis epidemiological investigations in Australia. One study showed that the prevalence of the disease correlated with the notifications of paralytic poliomyelitis in epidemics of that disease at different latitudes in Australia. This finding led to speculation that exposure to some unidentified organism, occurring earlier in childhood in hotter climates, while some residual immunity of maternal origin persisted, might have prevented later clinical disease. However, in cooler climates, exposure to the cause occurred later and resulted in overt disease.<sup>5</sup> He also drew attention to a correlation between decreasing average annual sunlight exposure in regions of Australia and increasing multiple sclerosis prevalence,<sup>4</sup> a finding largely forgotten until resurrected by recent interest in the relation between vitamin D and the disease. Additionally,



# 57th Annual Meeting of the Japanese Society of Neurology

## Pre-Announcement

# Toward Treatable Neurology



<b>President</b>	<b>Ryuji Kaji</b>	Professor, Department of Neurology, Institute of Biomedical Sciences, Tokushima University Graduate School
<b>Date</b>	<b>May 18 (wed) to 21 (sat), 2016</b>	
<b>Venue</b>	<b>Kobe Convention Center</b> Kobe International Conference Center / Kobe International Exhibition Hall	<b>Kobe Portopia Hotel</b>

<b>[Head Quarters Office]</b>	Department of Neurology, Institute of Biomedical Sciences, Tokushima University Graduate School 13-18-15 Kuramotocho, Tokushima-shi, Tokushima, 770-8503, Japan
<b>[JSN Secretariat]</b>	The Japanese Society of Neurology Office Ichimaru Bldg., 2-3-21 Yushima, Bunkyo-ku, Tokyo, 113-0034, Japan
<b>[Congress Secretariat]</b>	c/o Congress Corporation    kohsai Kaikan Bldg., 5-1 kojimachi, Chiyoda-ku, Tokyo, 102-8481, Japan TEL: +81-3-5216-5318 FAX: +81-3-5216-5552 E-mail: neuro57@congre.co.jp